

Sleeping Bags

STYLE			INSULATION	DWR		DOWN DEFENDER	ZIPPER	TEMPERATURE	COMFORT	LIMIT	EXTREME	WEIGHT	FILL WEIGHT	
DOWN														
Phase 30 Phase 30 Long	900196 900266	Relist	850FP Goose			RDS Down	PFC-Free Down Defender	LH	-1° C	5.6° C	0.6° C	-14.8° C	500g 590g	240g 300g
Phase 20 Phase 20 Long	900197 900267	Relist	850FP Goose			RDS Down	PFC-Free Down Defender	LH	-7° C	-1.4° C	-7.5° C	-25.4° C	660g 770g	400g 470g
Wm's Phase 20	900199	Relist	850FP Goose			RDS Down	PFC-Free Down Defender	LH	-7° C	-5.7° C	-12.5° C	-32.0° C	820g	520g
Hydrogen Hydrogen Long	900415 900416	Relist	800FP Goose	PFC-Free		RDS Down	PFC-Free Down Defender	LH	-1° C	0.9° C	-4.8° C	-21.9° C	665g 770g	310g 380g
Helium Helium Long	900422 900423	Relist	800FP Goose	PFC-Free		RDS Down	PFC-Free Down Defender	LH	-9° C	-5.2° C	-12.0° C	-31.3° C	935g 1040g	560g 620g
Wm's Xenon	900427	Relist	800FP Goose	PFC-Free		RDS Down	PFC-Free Down Defender	LH	-9° C	-12.6° C	-20.5° C	-42.5° C	1085g	725g
Lithium Lithium Long	900410 900411	Relist	800FP Goose	PFC-Free		RDS Down	PFC-Free Down Defender	LH	-18° C	-12.8° C	-20.9° C	-42.9° C	1176g 1285g	790g 890g
Micron 50 Micron 50 Long	39250 39260	Relist	650FP Duck	PFC-Free		RDS Down	PFC-Free Down Defender	LH	10° C	12.5° C	8.8° C	-4.1° C	520g 610g	210g 270g
Micron 40 Micron 40 Long	39270 39280	Relist	650FP Duck	PFC-Free		RDS Down	PFC-Free Down Defender	LH	4° C	8.3° C	3.5° C	-11.0° C	620g 723g	260g 330g
CWM CWM Long	22560 22570	Relist	800FP Goose			RDS Down		RH/ LH	-40° C				2066g 2268g	1339g 1423g
Col Col Long	21590 21740	Relist	800FP Goose			RDS Down		RH/ LH	-29° C				1774g 2070g	1064g 1164g
Always Summer Always Summer Long	29810 29820	Relist	650FP Duck	PFC-Free		RDS Down	PFC-Free Down Defender	RH/ LH	4° C	5.8° C	1.0° C	-14.3° C	760g 850g	270g 330g
Never Winter Never Winter Long	29830 29840	Relist	650FP Duck	PFC-Free		RDS Down	PFC-Free Down Defender	RH/ LH	-1° C	3.6° C	-1.7° C	-17.8° C	850g 910g	330g 400g
Palisade Palisade Long	900714 900715	Relist	650FP Duck	PFC-Free		RDS Down	PFC-Free Down Defender	RH/ LH	-5° C	-1.7° C	-7.8° C	-26.0° C	1050g 1115g	480g 540g
Wm's Angel Fire Wm's Angel Fire Long	29850 29860	Relist	650FP Duck	PFC-Free		RDS Down	PFC-Free Down Defender	RH/ LH	-4° C	-5.6° C	-12.4° C	-31.9° C	1160g 1210g	665g 720g
Sawtooth Sawtooth Long Sawtooth Long X-Wide	29870 29880 29890	Relist	650FP Duck	PFC-Free		RDS Down	PFC-Free Down Defender	RH/ LH	-9° C	2.7° C	-13.3° C	-27.5° C	1130g 1210g 1315g	590g 645g 715g
Wm's Teton Wm's Teton Long	29900 29910	Relist	650FP Duck	PFC-Free		RDS Down	PFC-Free Down Defender	RH/ LH	-9° C	-8.1° C	-15.3° C	-35.6° C	1320g 1442g	820g 900g
Never Summer Never Summer Long	29920 29930	Relist	650FP Duck	PFC-Free		RDS Down	PFC-Free Down Defender	RH/ LH	-18° C	-12.5° C	-20.4° C	-42.4° C	1450g 1515g	898g 970g
Wm's Ouray Wm's Ouray Long	29940 29950	Relist	650FP Duck	PFC-Free		RDS Down	PFC-Free Down Defender	RH/ LH	-18° C	-19.0° C	-28.1° C	-52.5° C	1640g 1720g	1090g 1155g
Wind River Wind River Long	38130 38140	Relist	650FP Duck	PFC-Free		RDS Down	PFC-Free Down Defender	RH/ LH	-24° C	-12.5° C	-20.4° C	-42.4° C	1860g 2015g	1150g 1260g
Fulcrum 30 Fulcrum 30 Long	38580 38590	New	700FP Goose	PFC-Free		RDS Down	PFC-Free Down Defender	LH	5° C	1.5° C	-4.1° C	-21.0° C	860g 940g	360g 420g
Fulcrum 15 Fulcrum 15 Long	38600 38610	New	700FP Goose	PFC-Free		RDS Down	PFC-Free Down Defender	LH	-1.2° C	-6.0° C	-12.9° C	-32.5° C	1080g 1140g	550g 610g
Wm's Fulcrum 15 Wm's Fulcrum 15 Long	38620 38630	New	700FP Goose	PFC-Free		RDS Down	PFC-Free Down Defender	LH	-1.2° C	-8.9° C	-16.3° C	-36.9° C	1150g 1230g	660g 730g
SYNTHETIC														
Ultra Elite 30 Ultra Elite 30 Long	39340 39350	Relist	ElixR Micro	PFC-Free				LH	-1° C	5.5° C	0.6° C	-14.8° C	817g 910g	525g 580g
Ultra Elite 20 Ultra Elite 20 Long	39360 39370	Relist	ElixR Micro	PFC-Free				LH	-7° C	0.5° C	5.3° C	-22.5° C	900g 1010g	630g 700g
Trestles Elite ECO 30 Trestles Elite ECO 30 Long	39590 39600	New	ElixR ECO	PFC-Free				LH	-1° C	3.1° C	-2.2° C	-18.5° C	920g 999g	490g 534g
Wm's Trestles Elite ECO 30 Wm's Trestles Elite ECO 30 L	39610 39620	New	ElixR ECO	PFC-Free				LH	-1° C	-1.3° C	-7.4° C	-25.3° C	1090g 1207g	714g 778g
Trestles Elite ECO 20 Trestles Elite ECO 20 Long	38300 38310	New	ElixR ECO	PFC-Free				LH	-7° C	0.1° C	-5.8° C	-23.2° C	1110g 1230g	710g 774g
Wm's Trestles Elite ECO 20 Wm's Trestles Elite ECO 20 L	38320 38330	New	ElixR ECO	PFC-Free				LH	-7° C	-6.5° C	-13.4° C	-33.2° C	1310g 1372g	832g 907g
Trestles Elite ECO 15 Trestles Elite ECO 15 Long	900931 900932	New	ElixR ECO	PFC-Free				LH	-9° C	-3.5° C	-9.9° C	-28.6° C	1262g 1391g	883g 962g
Trestles Elite ECO 0 Trestles Elite ECO 0 Long	39630 39640	New	ElixR ECO	PFC-Free				LH	-18° C	-9.1° C	-16.5° C	-37.2° C	1695g 1875g	1238g 1320g
Trestles 30 Trestles 30 Long Trestles 30 Long X Wide	23520 23720 23670	Relist	SpiraFil LT	PFC-Free				RH/ LH	-1° C	2.3° C	-3.2° C	-19.8° C	1380g 1507g 1622g	854g 957g 1020g
Wm's Trestles 30 Wm's Trestles 30 Long	23600 23800	Relist	SpiraFil LT	PFC-Free				RH/ LH	-1° C	-1.6° C	-7.7° C	-25.7° C	1580g 1650g	1100g 1179g
Trestles 15 Trestles 15 Long Trestles 15 Long X-wide	23530 23730 23680	Relist	SpiraFil LT	PFC-Free				RH/ LH	-9° C	-2.6° C	-8.9° C	-27.2° C	1535g 1695g 1826g	1018g 1151g 1230g
Wm's Trestles 15 Wm's Trestles 15 Long	23610 23710	Relist	SpiraFil LT	PFC-Free				RH/ LH	-9° C	-8.5° C	-15.8° C	-36.3° C	2040g 2170g	1385g 1520g
Trestles 0 Trestles 0 Long Trestles 0 Long X-Wide	23560 23760 23740	Relist	SpiraFil LT	PFC-Free				RH/ LH	-18° C	-9.3° C	-16.7° C	-37.6° C	2092g 2240g 2406g	1530g 1650g 1746g
NanoWave 55 NanoWave 55 Long	38780 38790	Updated	SpiraFil	PFC-Free				LH	13° C	15.6° C	12.4° C	0.6° C	680g 795g	255g 296g
NanoWave Semi Rec 50 NanoWave Semi Rec 50 Long	38800 38810	Updated	SpiraFil	PFC-Free				LH	10° C	13.0° C	10.0° C	-3.0° C	850g 1020g	360g 405g
NanoWave 45 NanoWave 45 Long	38820 38830	Updated	SpiraFil	PFC-Free				LH	7° C	13.4° C	9.8° C	-2.7° C	822g 905g	400g 450g
NanoWave 35 NanoWave 35 Long	38840 38850	Updated	SpiraFil	PFC-Free				LH	2° C	7.8° C	3.3° C	-10.4° C	1037g 1080g	505g 582g
NanoWave 25 NanoWave 25 Long	38860 38870	Updated	SpiraFil	PFC-Free				LH	-4° C	3.4° C	-1.9° C	-18.1° C	1120g 1330g	705g 805g
Kid's Trestles 30	21520	Updated	SpiraFil LT	PFC-Free				LH	-1° C				1080g	680g
Banzai Trestles 35	23140	Updated	SpiraFil LT	PFC-Free				LH	2° C				840g	588g
Kid's NanoWave 40	38880	Updated	SpiraFil	PFC-Free				LH	4° C				680g	290g

Packs

STYLE			VOLUME	WEIGHT	SIZES	TORSO FIT RANGE	DIMENSIONS H X W X D	ACCESS	HYDRATION	
MOUNTAIN										
Eiger 32	38210	New	32 liters	1350g	ONE	43 to 53cm	66 x 34.5 x 20.5cm	Top Load	Compatible	
Eiger 42	38200	New	42 liters	1460g	ONE	43 to 53cm	68.5 x 34.5 x 24cm	Top Load	Compatible	
Eiger Rock	38220	New	32 liters	1290g	ONE	43 to 53cm	66 x 34.5 x 20.5cm	Top Load	Compatible	
Rock Chalk Bag	23920	Relist	.08 liters	110g	ONE		16 x 13cm	Top Load		
Rock Gear Hauler	23240	Relist	33 liters	790g	ONE	41 to 51cm	62 x 29.5 x 20cm	Duffel Load		
ULTRALIGHT										
Kompressor Comet	38950	Updated	14 liters	153g	ONE	41 to 51cm	43 x 24 x 15cm	Top Load	Compatible	
Kompressor Meteor 16	38960	Updated	16 liters	344g	ONE	41 to 51cm	48 x 26.5 x 15m	Panel Load	Compatible	
Kompressor Meteor 22	38770	New	22 liters	570g	ONE	41 to 51cm	45 x 29.5 x 18m	Panel Load	Compatible	
Kompressor	38970	Updated	18 liters	290g	ONE	41 to 51cm	47 x 25 x 23cm	Top Load	Compatible	
Kompressor Plus	38980	Updated	20 liters	366g	ONE	43 to 52cm	52 x 26.5 x 19cm	Top Load	Compatible	
Kompressor Star	38990	Updated	28 liters	755g	ONE	43 to 52cm	53.5 x 30.5 x 19cm	Panel Load	Compatible	
Graviton 34	24660	Relist	34 liters	1050g	ONE	43 to 52cm	66 x 31 x 26cm	Full Access Panel Load	Compatible	
Wm's Graviton 36	24160	Relist	36 liters	1030g	ONE	38 to 47cm	66 x 32 x 28cm	Top Load/ Full Access Panel Load	Compatible	
Graviton 38	24690	Relist	38 liters	1080g	ONE	43 to 52cm	70 x 32 x 28cm	Top Load/ Full Access Panel Load	Compatible	
Graviton 48	24150	Relist	48 liters	1180g	ONE	43 to 52cm	72 x 35 x 30cm	Top Load/ Full Access Panel Load	Compatible	
Graviton 58	23410	Relist	58 liters	1340g	Med	43 to 52cm	72 x 35 x 30cm	Top Load/ Full Access Panel Load	Compatible	
OUTDOOR										
Toolbox 20	39150	Relist	20 liters	750g	ONE	41 to 51cm		Panel Load	Compatible	
Toolbox 26	39160	Relist	26 liters	800g	ONE	41 to 51cm		Panel Load	Compatible	
Toolbox 30	39170	Relist	30 liters	1050g	ONE	43 to 53cm		Panel Load	Compatible	
Kid's Root	23980	Relist	12 liters	300g	ONE	28 to 38cm	32.5 x 24 x 10.5cm	Panel Load		
Kid's Arbor	23490	Relist	18 liters	430g	ONE	38 to 43cm	41.5 x 28 x 28cm	Panel Load		
Urban Hauler Small	38280	Relist	14 liters	310g	ONE	41 to 51cm	39 x 20 x 14cm	Top Load		
Urban Hauler Medium	38290	Relist	28 liters	380g	ONE	41 to 51cm	44 x 24 x 18cm	Top Load		
Camp Hauler Medium	38660	New	75 liters	1180g	ONE		68.5 x 35.5 x 38cm	Top Load		
Camp Hauler Large	38670	New	95 liters	1800g	ONE		68.5 x 38 x 46cm	Top Load		
Monarch 22	29710	New	18 liters	750g	ONE	41 to 51cm	43 x 26 x 24cm	Roll Top Access		
Monarch 34	29790	New	32 liters	920g	ONE	41 to 51cm	48 x 29 x 31cm	Roll Top Access		
HAULERS										
Rolling Hauler Carry-On	24270	Relist	40 liters	3010g	ONE		56 x 26 x 32cm	Duffel Load		
Rolling Hauler- Medium	24290	Relist	80 liters	3750g	ONE		68.5 x 30.5 x 35.5cm	Duffel Load		
Rolling Hauler - Large	24310	Relist	110 liters	4220g	ONE		76 x 36.5 x 45cm	Duffel Load		
Long Hauler Duffel Small	29240	Relist	35 liters	916g	ONE		29 x 50.5 x 20.5	Duffel Load		
Long Hauler Duffel Medium	29250	Relist	50 liters	992g	ONE		27 x 64 x 27cm	Duffel Load		
Long Hauler Duffel Large	29260	Relist	75 liters	1247g	ONE		32 x 73 x 32cm	Duffel Load		
Long Hauler Duffel X Large	29270	Relist	105 liters	1587g	ONE		35 x 88 x 35cm	Duffel Load		
Long Hauler Duffel Expedition	38680	New	125 liters	1870g	ONE		43 x 88 x 43cm	Duffel Load		
Mini Hauler	29280	Relist	6 liters	178g	ONE		13 x 27 x 14cm	Duffel Load		
Compact Hauler	29290	Relist	7.5 liters	240g	ONE		18.5 x 30 x 15.5cm	Duffel Load		

	FRAME/ FRAME SHEET	SUSPENSION	LOAD RANGE	FABRIC MAIN BODY	FABRIC R ENFORCEMENT	LINING FABRIC
	Removable Aluminum Stay/ PE Frame		15lbs to 50lbs	200d 100% Nylon Spectra Ripstop	420d HT 100% Nylon Oxford	210d 100% Nylon
	Removable Aluminum Stay/ PE Frame		15lbs to 50lbs	200d 100% Nylon Spectra Ripstop	420d HT 100% Nylon Oxford	210d 100% Nylon
	Removable Aluminum Stay/ PE Frame		15lbs to 50lbs	200d 100% Nylon Spectra Ripstop	420d HT 100% Nylon Oxford	210d 100% Nylon
	HD Foam Frame			100d 100% Nylon Mini Multi Rip Stop	600d 100% Polyester	135d HD 100% Polyester
	HD Foam Frame			100d 100% Nylon Mini Multi Rip Stop	600d 100% Polyester	135d HD 100% Polyester
				100d 89% Nylon 11% Polyester Ripstop	210d 210T 100% Nylon Ripstop	135d HD 100% Polyester
	HD Foam Frame			100d 89% Nylon 11% Polyester Ripstop	210d 210T 100% Nylon Ripstop	135d HD 100% Polyester
	HD Foam Frame			100d 89% Nylon 11% Polyester Ripstop	210d 210T 100% Nylon Ripstop	135d HD 100% Polyester
	Removable HD Foam Frame			100d 89% Nylon 11% Polyester Ripstop	210d 210T 100% Nylon Ripstop	135d HD 100% Polyester
	HD Foam Frame			100d 89% Nylon 11% Polyester Ripstop	210d 210T 100% Nylon Ripstop	135d HD 100% Polyester
	HD Foam Frame			100d 89% Nylon 11% Polyester Ripstop	210d 210T 100% Nylon Ripstop	135d HD 100% Polyester
	Tubular Aluminum/ Molded ABS	Conductive Airflow	10lbs to 35lbs	70d 100% Nylon Robic Ripstop	100d 100% Nylon Triple Ripstop	135d HD 100% Polyester
	Tubular Aluminum/ Molded ABS	Conductive Airflow	10lbs to 35lbs	70d 100% Nylon Robic Ripstop	100d 100% Nylon Triple Ripstop	135d HD 100% Polyester
	Tubular Aluminum/ Molded ABS	Conductive Airflow	10lbs to 35lbs	70d 100% Nylon Robic Ripstop	100d 100% Nylon Triple Ripstop	135d HD 100% Polyester
	Tubular Aluminum/ Molded ABS	Conductive Airflow	15lbs to 40lbs	70d 100% Nylon Robic Ripstop	100d 100% Nylon Triple Ripstop	135d HD 100% Polyester
	Tubular Aluminum/ Molded ABS	Conductive Airflow	15lbs to 50lbs	70d 100% Nylon Robic Ripstop	100d 100% Nylon Triple Ripstop	135d HD 100% Polyester
	HD Foam Frame			210d 100% Nylon Ripstop	210D 210T 100% Nylon Ripstop	135d 100% Polyester
	HD Foam Frame			210d 100% Nylon Ripstop	210D 210T 100% Nylon Ripstop	135d 100% Polyester
	HD Foam Frame			210d 100% Nylon Ripstop	210D 210T 100% Nylon Ripstop	135d 100% Polyester
	HD Foam Frame			300d 100% Polyester	300d 100% Polyester	135d 100% Polyester
	HD Foam Frame			300d 100% Polyester	300d 100% Polyester	135d 100% Polyester
	HD Foam Frame			210d 100% Nylon Ripstop	210d 100% Nylon Ripstop	135d 100% Polyester
	HD Foam Frame			210d 100% Nylon Ripstop	210d 100% Nylon Ripstop	135d 100% Polyester
	Non-Removable Aluminum Stays/HD Foam			150d Armour Laminate single side Phthalate-Free 100% Polyester	420d HT 100% Nylon Oxford	210d 100% Nylon
	Non-Removable Aluminum Stays/HD Foam			150d Armour Laminate single side Phthalate-Free 100% Polyester	420d HT 100% Nylon Oxford	135d HD 100% Polyester
	HD Foam Frame			150d Armour Laminate single side Phthalate-Free 100% Polyester	420d 100% Polyester Big Ripstop	135d 100% Polyester
	HD Foam Frame			150d Armour Laminate single side Phthalate-Free 100% Polyester	420d 100% Polyester Big Ripstop	135d 100% Polyester
	PE/HD Foam Frame	Retractable Handle, Sealed Bearing Wheels		600d Armour Laminate Phthalate-Free 100% Polyester	1680d 100% Nylon Ballistics	210d 100% Nylon/ 135d 100% Polyester
	PE/HD Foam Frame	Retractable Handle, Sealed Bearing Wheels		600d Armour Laminate Phthalate-Free 100% Polyester	1680d 100% Nylon Ballistics	210d 100% Nylon/ 135d 100% Polyester
	PE/HD Foam Frame	Retractable Handle, Sealed Bearing Wheels		600d Armour Laminate Phthalate-Free 100% Polyester	1680d 100% Nylon Ballistics	210d 100% Nylon/ 135d 100% Polyester
				600d Armour Laminate Phthalate-Free 100% Polyester	1680d 100% Nylon Ballistics	210d 100% Nylon
				600d Armour Laminate Phthalate-Free 100% Polyester	1680d 100% Nylon Ballistics	210d 100% Nylon
				600d Armour Laminate Phthalate-Free 100% Polyester	1680d 100% Nylon Ballistics	210d 100% Nylon
				600d Armour Laminate Phthalate-Free 100% Polyester	1680d 100% Nylon Ballistics	210d 100% Nylon
				600d Armour Laminate Phthalate-Free 100% Polyester	1680d 100% Nylon Ballistics	210d 100% Nylon
				150d Armour Laminate Phthalate-Free 100% Polyester	150d Armour Laminate Phthalate-Free 100% Polyester	135d 100% Polyester
				150d Armour Laminate Phthalate-Free 100% Polyester	150d Armour Laminate Phthalate-Free 100% Polyester	135d 100% Polyester

Tents

STYLE			DWR	TOTAL ZONE AREA	FLOOR AREA	MINIMUM WEIGHT	PACK WEIGHT	POLE-SET ONLY	CANOPY ONLY	FLY-SHEET ONLY	FOOT-PRINT ONLY	FOOT-PRINT INC.	DIMENSIONS H X W X L	VESTIBULE	VESTIBULE AREA	DOORS	POLE TYPE
ULTRALIGHT																	
Tungsten UL 1P	29700	Relist		2.3 sq m	1.9 sq m	1170g	1330g	477g	479g	501g	205g		97 x 92/74 x 214cm	1	0.841q m	2	DAC 8.5mm
Tungsten UL 2P	28480	Relist		4.8 sq m	3.0sq m	1470g	1603g	477g	479g	501g	205g		107 x 137/117 x 224cm	2	0.91 sq m/ 0.48 sq m	2	DAC 9.0mm
Tungsten UL 3P	28490	Relist		7.3 sq m	3.8 sq m	1850g	1971g	605g	594.5g	621g	280g		117 x 168 x 229cm	2	.98 sq m / .72 sq m	2	DAC 9.0mm
Tungsten UL 4P	29480	Relist		10.4 sq m	4.75sq m	2555g	2715g	605g	594.5g	621g	280g		137 x 203 x 234cm	2	0.99 sq m / .72 sq m	2	DAC 9.0mm
Tungst. UL Hatchback 2P	39020	New		4.8 sq m	3.0sq m	2349g	2509g	840g	479g	1030g	205g		107 x 137/117 x 224cm	2	5.85 sq m/ 0.34 sq m	2	DAC 9.0mm/ 8.5mm
Tungst. UL Hatchback 3P	38720	New		7.3 sq m	3.8 sq m	2765g	2951g	950g	595g	1220g	280g		117 x 168 x 229cm	2	5.88 sq m/ 0.35 sq m	2	DAC 9.0mm/ 8.5mm
Bolt UL 2P	39000	New		2.9 sq m	2.6 sq m	960g	1052g	250g	350g	360g	205g		107 x 132/107 x 218cm	1	0.64 sq m	1	DAC NFL 9.3mm
Bolt UL 3P	39010	New		5.6 sq m	3.5 sq m	1400g	1573g	380g	510g	510g	280g		109 x 168/150 x 224cm	1	1.2 sq m	1	DAC NFL 9.3mm
OUTDOOR																	
Fortress 2P	39480	Relist	PFC-Free	4.9 sq m	3.0sq m	2315g	2450g	505g	885g	805g	170g		107 x 137/117 x 224cm	2	0.91 sq m/ 0.72 sq m	2	DAC 9.0mm / Velocity HD 8.5mm
Fortress 3P	39490	Relist	PFC-Free	7.0 sq m	3.8 sq m	2710g	2890g	600g	1100g	950g	230g		117 x 168 x 229cm	2	.98 sq m / .72 sq m	2	DAC 9.0mm / Velocity HD 8.5mm
Limelight 2P	27930	Relist	PFC-Free	5.7 sq m	3. sq m	2325g	2550g	550g	925g	850g	250g	Yes	109 x 137 x 224cm	2	0.88 sqm / .62 sqm	2	DAC 9.0mm / Velocity HD 9mm
Limelight 3P	27940	Relist	PFC-Free	9.1 sq m	4 sq m	2730g	2985g	570g	1090g	1070g	290g	Yes	122 x 173 x 229cm	2	1.1 sq m / .70sq m	2	DAC 9.0mm / Velocity HD 9mm
Nighthawk 2P	39060	New		11.4 sq m	3.0 sq m	1740g	1940g	530g	685g	525g	350g		115 x 136 x 222cm	2	.9 sq m / .6 sq m	2	DAC NSL 9mm
GROUP CAMPING																	
Limestone 4P	29100	Relist	PFC-Free	15.5 sq m	5.6 sq m	4575g	4920g	1440g	1775g	1360g	370g		160 x 218 x 254cm	2	1.85 sq m / .74 sq m	2	DAC DA17 12mm
Limestone 6P	29110	Relist	PFC-Free	30 sq m	7.7 sq m	7425g	7790g	2480g	2600g	2345g	630g		193 x 254 x 305cm	2	2.5 sq m / 1.11 sq m	2	DAC DA17 14.5mm / 12mm
Halo 4P	29970	Relist	PFC-Free		5.9 sq m	5790g	6080g	1930g	2180g	1760g	454g		150 x 224 x 224cm	2	2.5 sq m / 2.2 sq m	2	DAC DA17 12mm
Halo 6P	29980	Relist	PFC-Free		9 sq m	8765g	9110g	3040g	2980g	2580g	680g		192 x 300 x 300cm	2	3.0 sq m / 3.0 sq m	2	DAC 13mm / DAC DA17 14.5mm
Space Wing 2P	39080	New	PFC-Free	30 sq m	4.6 sq m	1870g	1980g	660g		920g	290g		142 x 269 x 284cm	N/A		1	DAC DA17 12mm
Guest House 4P	39100	New	PFC-Free	15.5 sq m	10.5 sq m	6660g	6846g	1680g	2530g	2450g	370g		162 x 224 x 399cm	1	1.6 sq m / .6 sq m / .6 sq m	4	DAC DA17 13mm / 12mm
Guest House 6P	39110	New	PFC-Free	30 sq m	12.1 sq m	9540g	9871g	3010g	3370g	3140g	630g		193 x 250 x 483cm	1	1.85 sq m / 1.3 sq m / 1.3sq m	4	DAC DA17 14.5mm / 12mm
Orbit 4P	39850	Relist	PFC-Free		5.5 sq m	6950g	7340g	1440g	1440g	1360g	370g		160 x 215 x 254cm	1	7.09 sq m	1	DAC DA17 12mm
Orbit 6P	39860	Relist	PFC-Free		7.2 sq m	9945g	10490g	2480g	2600g	2345g	630g		193 x 246 x 292cm	1	10.1 sq m	1	DAC DA17 14.5mm / 12mm
EXPEDITION																	
Thor 2P	29660	Relist			3.5 sq m	4250g	4750g						109 x 142 x 236cm	2	0.9 sq m	2	DAC Featherlite NSL 9mm
Thor 3P	29680	Relist			4.4 sq m	4610g	5110g						114 x 188 x 236cm	2	1.1 sq m	2	DAC Featherlite NSL 9mm
Lair 8P	2796	Relist			15.3 sq m	10890g							244 x 396 x 396cm	1	3.7 sq m	2	DAC DA17 10.2mm / 9.5mm
MME																	
Vapor 2P	900816	Updat.	PFC-Free	4.9 sq m	3.0sq m	2290g	2520g	520g	1010g	760g	170g		107 x 137 x 224cm	2	0.91 sq m/ 0.48 sq m	2	DAC 9.0mm / Velocity 8.5mm
Vapor 3P	900817	Updat.	PFC-Free	7.0 sq m	3.8 sq m	2740g	3020g	620g	1200g	920g	230g		117 x 168 x 229cm	2	.98 sq m / .72 sq m	2	DAC 9.0mm / Velocity 8.5mm
Vapor 4P	900818	Updat.	PFC-Free	10.4 sq m	4.9 sq m	3665g	4145g	950g	1485g	1230g	310g		132 x 208 x 236cm	2	0.99 sq m / .72 sq m	2	DAC 9.5mm / Velocity 8.5mm
Alvar UL 2P	900819	New	PFC-Free	4.9 sq m	2.9sq m	2100g	2430g	530g	820g	750g	180g		102 x 135/122 x 224cm	2	0.92 sq m/ 0.92 sq m	2	DAC NSL 8.7mm / Velocity 9mm
Alvar UP 3P	900820	New	PFC-Free	7.0 sq m	3.8 sq m	2480g	2810g	630g	1000g	850g	250g		119 x 168 x 229cm	2	1.1 sq m / 1.1 sq m	2	DAC NSL 9mm / Velocity 9mm
Alvar 2P	900819	Relist	PFC-Free	4.9 sq m	2.9sq m	2425g	2780g	530g	880g	1015g	180g		102 x 135/122 x 224cm	2	0.92 sq m/ 0.92 sq m	2	DAC 9.0mm / Velocity 8.5mm
Alvar 3P	900820	Relist	PFC-Free	7.0 sq m	3.8 sq m	2830g	3120g	555g	910g	1365g	250g		119 x 168 x 229cm	2	1.1 sq m / 1.1 sq m	2	DAC 9.0mm / Velocity 8.5mm
Taranis 2P	900471	Relist	PFC-Free	4.9 sq m	3.1 sq m	2725g	3033g	716g	762g	1103g			112 x 137/120 x 224cm	2	0.91 sq m/ 0.91 sq m	2	DAC 9.0mm
Taranis 3P	900472	Relist	PFC-Free	7.0 sq m	3.8 sq m	3320g	3610g	953g	934g	1230g			122 x 168 x 224cm	2	1.00 sq m/ 1.00 sq m	2	DAC 9.0mm
Haldor 2P	900109	Relist	PFC-Free		3.1sq m	2880g	3160g	560g	775g	1545g			89 x 132 x 224cm	1	2.0 sq m	1	DAC 9.0mm
Haldor 3P	900111	Relist	PFC-Free		3.3 sq m	3220g	3500g	660g	870g	1690g			89 x 163 x 224cm	1	3.1 sq m	1	DAC 9.0mm

EN 13537 NORM Lower Limit is for Men's Temperature Rating

EN 13537 NORM Comfort is for Women's Temperature Rating

INTERIOR LENGTH is the inside measurement from the bottom foot seam to the seam at the bottom of the hood

ASTM PACK VOLUME is a standardized measurement of the reality packability of Sleeping Bags

WEIGHTS and MEASUREMENTS are average data. Individual product may vary!

SLEEPING BAGS

